### Add ### Ad	L	Hits	Search Text	DB	Time stamp
- 2535 assign with (indicia indicat\$4)	_				
2535 assign with (indicia indicat\$4)	-	1	6466158.pn.		
2535 assign with (indicia indicats4)					11:57
BPO; JPO; 11:59 11:59 13:00					222242422
IBM TDB 12:00 12	_	2535	assign with (indicia indicat\$4)		
Sasign with (indicia indicate\$4) and object with multisdimension\$4 SPO; JPO; IBM TDB object with multisdimension\$4 and sort\$4 SPO; JPO; IBM TDB uspAr;					11:59
Object with multisdimensions4 EPC; JPO; 12:00					2002/04/02
assign with (indicia indicat\$4) and object with multi\$dimension\$4 and sort\$4 and abject with multi\$dimension\$4 and sort\$4 and object with multi\$dimension\$4 and sort\$4 and abject with multi\$dimension\$4 and sort\$4 and object same multi\$dimension\$4 and sort\$4 and object same multi\$dimension\$4 and sort\$4 and (organi\$4 order) assign with (indicia indicat\$4) and object with multi\$dimension\$4 and sort\$4 and (organi\$4 order) assign with (indicia indicat\$4) and object with multi\$dimension\$4 and sort\$4 and indical indicat and object with multi\$dimension\$4 with space and ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 59357 - 59357 - 59357 - 59357 - 59357 - 1 assign\$4 with indicia and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 with ambiguit\$4 - 2 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (organis\$4 with ambiguit\$4 - 2 and (organis\$4 order) and (organis\$4 ord	_	0		· ·	
-			object with martisalmensions4	· · · · · · · · · · · · · · · · · · ·	12.00
Object with multisdimensions and sorts SPO, JPO; 12:02	_	٦ ء	assign with (indicia indicat\$4) and		2003/04/02
			object with multi\$dimension\$4 and sort\$4		
- 0 assign with (indicia indicats) and object with multisdimensions 4 and sorts 4 and ambigus 4 and ambigus 4 assign with (indicia indicats) and object same multisdimensions 4 and sorts 4 and ambigus 4 and ambigus 4 assign with (indicia indicats) and object with multisdimensions 4 and sorts 4 assign with (indicia indicats) and object with multisdimensions 4 and sorts 4 and (organis 4 order) ambiguous with object ambiguous with object ambiguous with object ambiguous with object and multisdimensions 4 ambiguous with object and multisdimensions 4 ambiguous with object and multisdimensions 4 with space 12:07			object with martiquemonstant and seleti		12.02
Object with multi;dimension\$4 and sort\$4 IBM TDB USPAT; 2003/04/02 EPO; JDO; 12:02 IBM TDB USPAT; 2003/04/02 EPO; JDO; 12:02 IBM TDB USPAT; 2003/04/02 IBM TDB	_	0	assign with (indicia indicat\$4) and		2003/04/02
and ambigus4 object same multisdimensions4 and sorts4 and ambigus4 assign with (indicia indicats4) and object with multisdimensions4 and sorts4 and (organis4 order) assign with (indicia indicats4) and object with multisdimensions4 and sorts4 and (organis4 order) assign with (indicia indicats4 identifs4) and object with multisdimensions4 and sorts4 and (organis4 order) ambiguous - 7702 ambiguous with object ambiguous with object and multisdimensions4 multisdimensions4 with space - 24 ambiguous with object and multisdimensions4 with space ambiguous with object and multisdimensions4 with space and ambiguits4 ambiguous with object and multisdimensions4 with space and ambiguits4 and first adj dimension ambiguits4 and first adj dimension ambiguits4 and first adj dimension - 59357 - 59357 1 assigns4 with indicia and object with multisdimensional ambiguits4 and object with multisdimensional - 1 assigns4 with (indicia indicator identifs4 id) and object with multisdimensional - 2 assigns4 with (indicia indicator identifs4 id) and object with multisdimensional - 3 assigns4 with (indicia indicator identifs4 id) and object with multisdimensional same space and sorts4 and (order organizs4 groups4) and (organis4 order) 2 assigns4 with (indicia indicator identifs4 id) and object with multisdimensional same space and sorts4 and (order organizs4 groups4) and (order organiz					1
Object same multisdimensions4 and sorts4 EPO; JPO; 12:02 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:04 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:04 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:06 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:07 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:08 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:08 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:13 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:14 IBM TDB USPAT; 2003/04/02 EPO; JPO; 12:15 IBM T				IBM TDB	
and ambiguis4 assign with (indicia indicats4) and object with multisdimensions4 and sorts4 and (organis4 order) and object with multisdimensions54 and sorts4 and object with multisdimensions4 identifs4) and object with multisdimensions4 identifs4) and object with multisdimensions4 and sorts4 and object with multisdimensions4 and sorts4 and (organis4 order) - 7702 ambiguous with object - 368 ambiguous with object and multisdimensions4 multisdimensions4 - 9 ambiguous with object and multisdimensions4 with space multisdimensions4 with space ambiguous with object and multisdimensions4 with space and ambiguits4 ambiguous with object and multisdimensions4 with space and ambiguits4 and first adj dimension - 59357 - 352 assigns4 with indicia - 952 assigns4 with indicia indicator identifs4 id) and object with multisdimensional - 1 assigns4 with (indicia indicator identifs4 id) and object with multisdimensional same space assigns4 with (indicatia indicator identifs4 id) and object with multisdimensional same space and order organizs4 groups4) and (order organizs4 groups4) and	-	0	assign with (indicia indicat\$4) and	USPAT;	2003/04/02
-			object same multi\$dimension\$4 and sort\$4	EPO; JPO;	12:02
Object with multisdimension\$4 and sort\$4 and (organi\$4 order) assign with (indicia indicat\$4 identif\$4) USPAT; 2003/04/02 12:06 IBM TDB USPAT; 2003/04/02 12:06 IBM TDB USPAT; 2003/04/02 12:06 IBM TDB USPAT; 2003/04/02 12:07 IBM TDB USPAT; 2003/04/02 12:08 IBM TDB USPAT; 2003/04/02 12:13 IBM TDB USPAT; 2003/04/02 12:14 IBM TDB USPAT; 2003/04/02 12:15 IBM TDB USPAT; 2003/04/02 12:14 IBM TDB USPAT; 2003/04/02 12:15 IBM TDB USPAT; 2003/04/02 12:14 IBM TDB USPAT; 2003/04/02 12:15 IBM TDB USPAT; 2003/04/02 12:16 IBM TDB USPAT; 2003/					
and (organi\$4 order) and object with multi\$dimension\$4 and sort\$4 and (organi\$4 order) and object with multi\$dimension\$4 and sort\$4 and (organi\$4 order) ambiguous - 7702 ambiguous with object - 368 ambiguous with object and multi\$dimension\$4 multi\$dimension\$4 multi\$dimension\$4 - 9 ambiguous with object and multi\$dimension\$4 with space multi\$dimension\$4 with space - 19 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 10 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 3 assign\$4 with indicia - 5 99357 - 5 9357 - 5 952 - 5 952 - 10 assign\$4 with indicia and object with multi\$dimensional - 2 1 assign\$4 with indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 1 1 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 2 83 - 283 -	-	3			
-					12:04
and object with multi\$dimension\$4 and spot \$3000000000000000000000000000000000000]		_	
Sort\$4 and (organi\$4 order)	-	4			
- 7702 ambiguous					12:06
BPG, JPG, I2:06 IBM TDB USPAT; 2003/04/02 IBM TDB USPAT; 2003/04/02 IBM TDB USPAT; IBM TDB					2002/64/22
TIBM TDB	-	7702	ambiguous		
- 368 ambiguous with object				i e	12:06
24 ambiguous with object and multisdimension\$4 USPAT; EPO; JPO; IBM TDB USPAT EPO; JPO; I2:07 IBM TDB USPAT; EPO; JPO; I2:08 IBM TDB USPAT; EPO; JPO; I2:13 IBM TDB USPAT; EPO; JPO; I2:14 IBM TDB USPAT; EPO; JPO; I2:14 IBM TDB USPAT; EPO; JPO; I2:14 IBM TDB USPAT; EPO; JPO; I2:15 IBM TDB USPAT; EPO; JPO; I2:16 IBM TDB USPAT; EPO; JPO; I2:24 IBM TDB USPAT; EPO; JPO; I2:25 IBM TDB USPAT;		2.00		_	2002/04/02
- 24 ambiguous with object and multi\$dimension\$4	_	368	ambiguous with object		
- 24 ambiguous with object and multi\$dimension\$4					12:07
- 9 ambiguous with object and multi\$dimension\$4 with space	_	24	ambiguous with object and		2003/04/02
Second S	_	24			1
- 9 ambiguous with object and multi\$dimension\$4 with space - 5 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 - 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension - 59357 indicia - 952 assign\$4 with indicia - 1 assign\$4 with indicia and object with multi\$dimensional - 1 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 9 assign\$4 with indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 1 assign\$4 with indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 1 assign\$4 with indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 1 assign\$4 with indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 1 assign\$4 with indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 283 group\$4 with ambiguit\$4 - 284 group\$4 with ambiguit\$4 - 285 group\$4 with ambiguit\$4 - 286 group\$4 with ambiguit\$4 - 287 group\$4 with ambiguit\$4 - 288 group\$4 with ambiguit\$4 - 288 group\$4 with ambiguit\$4 - 288 group\$4 with ambiguit\$4			multipulmension 4		12.07
- 5 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 ambiguit\$4 and first adj dimension indicia - 59357 - 952 assign\$4 with indicia - 1 assign\$4 with indicia and object with multi\$dimensional same space and assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$5 unknown) group\$4 with ambiguit\$4 unknown) group\$4 with ambiguit\$4 - 283	_	9	ambiguous with object and		2003/04/02
Sambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 IBM TDB USPĀT; 2003/04/02 IBM TDB USPĀT; IBM TDB				· ·	
- 5 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 2 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension indicia 1					
multi\$dimension\$4 with space and ambiguit\$4 mabiguit\$4 multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension multi\$dimensional multi\$dimension	_	5	ambiguous with object and	_	2003/04/02
ambiguit\$4 ambiguous with object and multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension 59357 59357 952 assign\$4 with indicia 1 assign\$4 with indicia and object with multi\$dimensional 2 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional 3 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional 4 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional 5 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and (order organiz\$4 group\$4) and (order organiz\$4 group\$5] and (order organiz\$5 group\$6] and (order organiz\$6 group\$6] and (order organiz\$6 group\$6] and (order organiz\$6 g				EPO; JPO;	12:08
multi\$dimension\$4 with space and ambiguit\$4 and first adj dimension IBM_TDB I2:13 IBM_TDB I2:15 IBM_TDB				IBM TDB	
- 59357 ambiguit\$4 and first adj dimension IBM_TDB USPAT; EPO; JPO; 12:13 IBM_TDB USPAT; EPO; JPO; IBM_TDB IBM_TDB USPAT; EPO; JPO; IBM_TDB	-	2		USPAT;	2003/04/02
- 952 assign\$4 with indicia				EPO; JPO;	12:13
BPO; JPO; IBM TDB USPAT; 2003/04/02 EPO; JPO; IBM TDB		1		_	
- 952 assign\$4 with indicia	_	59357	indicia		
- 952 assign\$4 with indicia - 1 assign\$4 with indicia and object with multi\$dimensional - 54 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional - 14 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional - 14 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space - 9 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space - 1 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 1 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) - 283 group\$4 with ambiguit\$4 - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 12:16 USPAT; 2003/04/02 12:24 USPAT; 2003/04/02 12:24 USPAT; 2003/04/02 12:24					12:13
1 assign\$4 with indicia and object with multi\$dimensional EPO; JPO; IBM_TDB USPAT; EPO; JPO; Identif\$4 id) and object with multi\$dimensional IBM_TDB USPAT; EPO; JPO; Identif\$4 id) and object with multi\$dimensional same space identif\$4 id) and object with multi\$dimensional same space IBM_TDB USPAT; 2003/04/02 12:15 IBM_TDB USPAT; 2003/04/02 12:15 IBM_TDB USPAT; 2003/04/02 12:15 IBM_TDB USPAT; 2003/04/02 12:15 IBM_TDB USPAT; 2003/04/02 12:16 IBM_TDB IBM_		050			2002/04/02
- 1 assign\$4 with indicia and object with multi\$dimensional - 54 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional - 14 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 IBM_TDB	-	952	assign\$4 with indicia		
- 1 assign\$4 with indicia and object with multi\$dimensional					12:13
multi\$dimensional FPO; JPO; IBM TDB SUSPAT; SUSPA	_	1	pesign\$4 with indicia and object with		2003/04/02
- 54 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (order		1		1	
- 54 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional assign\$4 with (indicia indicator identif\$4 id) and object with identif\$4 id) and object with multi\$dimensional same space identif\$4 id) and object with multi\$dimensional same space identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 identif\$6 unknown) group\$4 with ambiguit\$4 USPAT; 2003/04/02 identif\$6 unknown) group\$4 with ambiguit\$4 USPAT; 2003/04/02 identif\$6 unknown) group\$4 with ambiguit\$4			morer Annuelis Tolian		14.17
identif\$4 id) and object with multi\$dimensional 14 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space 9 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) 1 assign\$4 with (indicia indicator identif\$4 id) and object with and (order organiz\$4 group\$4) 1 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; EPO; JPO; IBM_TDB 12:15	_	54	assign\$4 with (indicia indicator	_	2003/04/02
multi\$dimensional assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space 9 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; EPO; JPO; 12:24 USPAT; EPO; JPO; 12:25]			
- 14 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space 9 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 identif\$5 identi					14.10
identif\$4 id) and object with multi\$dimensional same space 9 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 283 EPO; JPO; I2:15 IBM_TDB USPAT; 2003/04/02 IBM_TDB USPAT; 2003/04/02 IBM_TDB USPAT; 2003/04/02 IBM_TDB USPAT; 2003/04/02 IBM_TDB	_	14			2003/04/02
multi\$dimensional same space assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 IBM_TDB USPAT; 2003/04/02 EPO; JPO; 12:24 USPAT; 2003/04/02 USPAT; 2003/04/02 EPO; JPO; 12:25		**			
- 9 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 EPO; JPO; 12:25					1 12 1 2 0
identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 EPO; JPO; IBM_TDB USPAT; 2003/04/02 USPAT; 2003/04/02 USPAT; 2003/04/02 EPO; JPO; 12:25	_	9			2003/04/02
multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; EPO; JPO; IBM_TDB USPAT; EPO; JPO; 12:24 USPAT; EPO; JPO; 12:25					
and (order organiz\$4 group\$4) assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; EPO; JPO; 12:24 USPAT; EPO; JPO; 12:25					
- 1 assign\$4 with (indicia indicator identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; EPO; JPO; 12:24 USPAT; 2003/04/02 USPAT; 2003/04/02 EPO; JPO; 12:25				_	İ
identif\$4 id) and object with multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; EPO; JPO; 12:24 USPAT; EPO; JPO; 12:25	-	1	assign\$4 with (indicia indicator	USPAT;	2003/04/02
multi\$dimensional same space and sort\$4 and (order organiz\$4 group\$4) and (ambigu\$6 unknown) group\$4 with ambiguit\$4 USPAT; 2003/04/02 EPO; JPO; 12:25				EPO; JPO;	12:24
and (order organiz\$4 group\$4) and (ambigu\$6 unknown) - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 EPO; JPO; 12:25			multi\$dimensional same space and sort\$4		
(ambigu\$6 unknown) - 283 group\$4 with ambiguit\$4 USPAT; 2003/04/02 EPO; JPO; 12:25			and (order organiz\$4 group\$4) and		
EPO; JPO; 12:25		17	(ambigu\$6 unknown)		
	, -	283	group\$4 with ambiguit\$4	·	
IBM TDB					12:25
				IBM_TDB	

Search History 4/2/03 3:10:27 PM Page 1

			******	1 2002 /04 /02
_	7	group\$4 with ambiguit\$4 with object	USPAT; EPO; JPO;	2003/04/02 12:25
	1		IBM TDB	
_	0	group\$4 with ambiguit\$4 with object and	USPAT;	2003/04/02
		multi\$dimension\$4 with space	EPO; JPO;	12:26
		marcipalment of the space	IBM TDB	
	0	group\$4 with ambiguit\$4 with object and	USPAT;	2003/04/02
-			EPO; JPO;	12:26
		multi\$dimension\$4 same space		12.26
	_		IBM_TDB	0000/04/00
] -	0	group\$4 same ambiguit\$4 with object and	USPAT;	2003/04/02
	1	multi\$dimension\$4 same space	EPO; JPO;	12:27
			IBM_TDB	
-	2	group\$4 same ambiguit\$4 with object and	USPAT;	2003/04/02
		multi\$dimension\$4	EPO; JPO;	12:34
			IBM TDB	İ
_	0	group\$4 same ambigu\$4 with object and	USPAT;	2003/04/02
		multi\$dimension\$4 same space	EPO; JPO;	12:27
		mazory armondrati	IBM TDB	
1_	3	group\$4 same ambigu\$4 with object and	USPAT;	2003/04/02
-	3	multi\$dimension\$4	EPO; JPO;	12:40
				12.40
	_		IBM_TDB	2002/04/02
-	0		USPAT;	2003/04/02
1		multi\$dimension\$4 and ambiguit\$4	EPO; JPO;	12:41
1			IBM_TDB	
-	2	group\$4 same ambigu\$4 with object and	USPAT;	2003/04/02
1		multi\$dimension\$4 and ambiguit\$4	EPO; JPO;	12:46
1			IBM TDB	
_	44	first adj dimension and group with subset	USPAT;	2003/04/02
			EPO; JPO;	12:48
			IBM TDB	
_	0	first adj dimension and group with subset	USPAT;	2003/04/02
	1	and ambiguous and ambiguit\$4	EPO; JPO;	12:50
		and ambiguous and ambiguits4		12.50
1	_		IBM_TDB	2002/04/02
-	0	,	USPAT;	2003/04/02
	1	and ambiguous with object	EPO; JPO;	12:51
			IBM_TDB	
-	858	object with ambigu\$4	USPAT;	2003/04/02
			EPO; JPO;	12:51
			IBM_TDB	
-	3	object with ambigu\$4 and group with	USPAT;	2003/04/02
		ambigu\$4 and order with ambigu\$4 with	EPO; JPO;	13:01
1	!	object	IBM TDB	
1 -	4	group\$4 with ambiguous with object	USPAT;	2003/04/02
	1		EPO; JPO;	13:05
			IBM TDB	
1_	0	 (ordering grouping) with ambiguous with	USPAT;	2003/04/02
-		object	EPO; JPO;	13:06
1		Object	IBM TDB	10.00
1	17.			1 2003 /04 /03
-	176	ambiguous with object and ambiguit\$4	USPAT;	2003/04/02
1			EPO; JPO;	13:06
1			IBM_TDB	, , , , ,
-	17	ambiguous with object and ambiguit\$4 and	USPAT;	2003/04/02
1		(group organiz\$4) with ambigu\$4'	EPO; JPO;	13:07
			IBM_TDB	
-	17	ambiguous with object and ambiguit\$4 and	USPAT;	2003/04/02
1		(group organiz\$4) with ambigu\$4	EPO; JPO;	13:13
			IBM TDB	
-	0	707/\$.ccls. and ambiguous with object and	USPAT;	2003/04/02
		ambiguit\$4 and (group organiz\$4) with	EPO; JPO;	13:14
		ambiguity4 and (group organizy4) with	IBM TDB	1
1_	15	707/\$.ccls. and ambiguous same object and	USPAT;	2003/04/02
_	12			1
		ambiguit\$4 and (group categor\$4	EPO; JPO;	13:14
		organiz\$4) with object sameambigu\$4	IBM_TDB	
-	4	707/\$.ccls. and ambiguous same object and	USPAT;	2003/04/02
		ambiguit\$4 and (group categor\$4	EPO; JPO;	13:18
1		organiz\$4) with object same ambigu\$4	IBM_TDB	
-	15	707/\$.ccls. and ambiguous same object and	USPĀT;	2003/04/02
		ambiguit\$4 and (group categor\$4	EPO; JPO;	13:19
		organiz\$4) with object	IBM TDB	
	·			· · · · · · · · · · · · · · · · · · ·

	1	707/\$.ccls. and ambiguous same object and	USPAT;	2003/04/02
		ambiguit\$4 and (group categor\$4	EPO; JPO;	13:24
		organiz\$4) with object and	IBM TDB	
		multi\$dimension\$4	_	
_	0	707/\$.ccls. and ambiguous same object and	USPAT;	2003/04/02
		ambiguit\$4 and multi\$dimension\$4 adj	EPO; JPO;	13:25
		space	IBM TDB	
-	3	ambiguous same object and ambiguit\$4 and	USPAT;	2003/04/02
		multi\$dimension\$4 adj space	EPO; JPO;	13:25
			IBM TDB	